

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

THE CLAIMS:

1. (Currently Amended) A printing and display device comprising:
 - a flat panel display for displaying images from a computer;
 - a printer including a printhead for printing onto paper;
 - a stand for supporting the flat panel display and the printer for operation remote from the computer, the flat panel display being supported at an angle between 0 to 45 degrees to the vertical; and,
 - a connection configured to allow releasable operative connection of the computer to the printing and display device; ~~holding the flat panel display in an operative position; and a printer, the printer including a printhead for printing onto paper;~~wherein,
 - the stand includes at least one receptacle configured to accept at least one replaceable ink cartridge for supplying ink to the printer.
2. (Original) A printing and display device as claimed in claim 1 wherein a viewable size of the printing and display device exceeds 40cm measured along a diagonal of the printing and display device.
3. (Original) A printing and display device as claimed in claim 1, wherein the at least one receptacle is formed in a base portion of the stand.
4. (Original) A printing and display device as claimed in claim 1, further including at least one ink duct configured to supply ink from the cartridge to the printhead when the cartridge is engaged with the receptacle.

5. (Original) A printing and display device as claimed in claim 1, wherein the printer includes at least two the printheads, the printheads being disposed on either side of a path through which print media is fed for printing, thereby enabling substantially simultaneous printing of both sides of the print media.

6. (Currently Amended) A printing and display device as claimed in claim 1, configured to receive print data to be printed, and display data to be displayed, from a computer system that includes the computer.

7. (Cancelled)

8. (Currently Amended) A printing a display device as claimed in claim 61, wherein the connection includes at least one socket for accepting at least one corresponding data cable.

9. (Currently Amended) A printing and display device as claimed in claim 61, wherein the connection includes a wireless receiver for receiving the print data and/or the display data.

10. (Currently Amended) A printing and display device as claimed in claim 61, wherein the connection is a Universal Synchronous Bus (USB) connection.

11. (Original) A printing and display device as claimed in claim 1, further including a paper feed mechanism for feeding paper to the printhead for printing, the printhead being arranged to print onto the paper.

12. (Original) A printing and display device as claimed in claim 1, wherein the paper feed mechanism is configured to position the paper substantially parallel in at least one direction with respect to a plane defined by the flat panel display.

13. (Original) A printing and display device as claimed in claim 10 or 11, wherein the paper feed mechanism is configured to accept a single sheet of paper at a time for printing.

14. (Original) A printing and display device as claimed in claim 10 or 11, wherein the paper feed mechanism includes a paper separator for feeding a single sheet of paper to the printhead from a stack of sheets of paper.

15. (Original) A printing and display device as claimed in claim 1, wherein the printer is a process color printer.

16. (Original) A printing and display device as claimed in claim 1, wherein the printer is an inkjet printer.

17. (Original) A printing and display device as claimed in claim 15, wherein the printer has more than 5,000 inkjet nozzles.

18. (Original) A printing and display device as claimed in claim 1 or 16, wherein the printer is a page-width printer.

19. (Original) A printing and display device as claimed in claim 1, wherein the flat panel display measures at least 14 inches on the diagonal.

20. (Original) A printing and display device as claimed in claim 1, including at least two of the printheads, the printheads being disposed on either side of a path through which the paper is fed for printing, thereby enabling substantially simultaneous printing of both sides of a sheet of paper.

21. (Original) A printing and display device as claimed in claim 1, configured to enable printing of standard A4 or Letter sized sheets of paper.

22. (Original) A printing and display device as claimed in claim 1, configured such that paper to be printed is fed manually into a paper path that directs the paper from a region adjacent the upper edge of the flat panel display, past the printhead for printing, then out of the device adjacent a lower edge of the flat panel display.

23. (Original) A printing and display device as claimed in claim 1, further including a curved paper guide disposed, when the device is in use, beneath the flat panel display, such that the paper that has been printed is urged horizontally as it exits the device.

24. (Original) A printing and display device as claimed in claim 1, wherein the flat panel display is of one of the following types:

- a. Liquid Crystal Display (LCD);
- b. Organic Light Emitting Diode (OLED)
- c. Field Emission Display (FED)
- d. Plasma Display Panel (PDP)

25. (Original) A printing and display device as claimed in claim 1, wherein the printhead is configured to receive halftoned print data to be printed onto the print media.

26. (Original) A printing and display device as claimed in claim 1, further including a halftoning unit for generating halftoned image data and supplying it to the printhead for printing.

27. (Original) A printing and display device as claimed in claim 1, wherein the printhead is configured to print photographic images.

28. (Original) A printing and display device as claimed in claim 1, wherein the printhead is configured to print image and text data.

29-30. (Cancelled)

31. (Currently Amended) A printing and display device as claimed in claim 1 wherein the connection further comprises ~~a data connection for receiving print data from a computer; a flat panel display for displaying images received from a computer; a printer, the printer including a printhead for printing onto paper on the basis of the print data; and a data connection hub for configured to allow connection of to~~ at least one data-receiving device ~~to the printing and display device, enabling~~ so that the data-receiving device ~~to~~ can receive data from the computer.

32. (Currently Amended) A printing and display device as claimed in claim 1 ~~further comprising~~

~~— a flat panel display; and~~

~~— a printer, including a printhead for printing onto paper;~~

~~the device being configured such that, wherein~~ during printing, the paper being printed passes between the flat panel display and the printhead, or passes behind the flat panel display and the printhead relative to a viewing position of the flat panel display.

33. (Currently Amended) A printing and display device as claimed in claim 1 further comprising:

~~— a flat panel display;~~

~~— a printer, including a printhead for printing onto paper;~~

a multi-sheet paper holder; and,

a paper sheet separator configured to separate a single paper sheet from the paper in the paper holder for supply to the printhead.

34. (Currently Amended) A printing and display device as claimed in claim 1 further comprising:

~~a flat panel display for displaying images from a computer; and~~

~~a printer, wherein the printer includes~~ at least two the pagewidth printheads, the pagewidth printheads being disposed on either side of a path through which print media is fed for printing, thereby enabling substantially simultaneous printing of both sides of the print media.

35. (Currently Amended) A printing and display device as claimed in claim 1 ~~being configured to receive documents to be printed from a computer system, the printing and display device including~~ further comprising an interface for user input to generate a print command; wherein, and being

the printing and display device is configured to:

~~receive, via the interface, input from a user indicative of a print command;~~

~~send, from the printing and display device to the computer system, a print request in~~
response to a print command; and,

receive, from the computer system and in response to the print request, a document
to be printed; and

print the document.